

**Inza R. Wood Middle School**  
**11055 SW Wilsonville Rd, Wilsonville, OR 97070**

Start Date: 03/11/2019			Stop Date: 03/14/2019		
Room #	Serial #	Start Time	Stop Time	Canister Type	pCi/l
A100	DB327M	6:27 AM	8:20 AM		<0.4
A101-A	DB911L	6:29 AM	8:22 AM		0.5
A101-B	DB693K	6:29 AM	8:22 AM	<b>Duplicate</b>	<0.4
A103	DB267L	6:32 AM	8:23 AM		0.9
A110	DB716L	6:36 AM	8:26 AM		0.6
A113	DB364L	6:42 AM	8:27 AM		<0.4
B100-A	DB901M	6:47 AM	8:31 AM		<0.4
B100-B	DB061N	6:55 AM	8:32 AM		<0.4
B100-C	DB124N	6:57 AM	8:33 AM		<0.4
B101-A	DB060J	7:00 AM	8:36 AM		0.4
B101-B	DB675K	7:02 AM	8:38 AM		<0.4
B101-C	DB891H	7:02 AM	8:40 AM		<0.4
B103	DB466J	7:05 AM	8:45 AM		0.5
B111-A	DB138L	7:09 AM	8:46 AM	<b>Duplicate</b>	<0.4
B111-B	DB189I	7:09 AM	8:46 AM		<0.4
B112-A	DB271M	7:11 AM	8:47 AM	<b>Duplicate</b>	<0.4
B112-B	DB216H	7:11 AM	8:47 AM		0.5
C100	DB149J	7:21 AM	8:53 AM		<0.4
C101	DB965J	7:24 AM	8:54 AM		<0.4
C102-A	DB718I	7:25 AM	8:56 AM		<0.4
C102-B	DB103D	7:25 AM	8:56 AM	<b>Blank</b>	<0.4
C103	DB453L	7:28 AM	8:58 AM		<0.4
C104	DB704L	7:30 AM	8:58 AM		0.5
C105	DB440K	7:31 AM	9:00 AM		<0.4
C109	DB914I	7:32 AM	9:00 AM		<0.4
C120	DB769F	10:24 AM	10:31 AM		0.6
C121	DB818H	10:23 AM	10:30 AM		0.6
D100-A	DB166K	7:35 AM	9:03 AM	<b>Blank</b>	<0.4
D100-B	DB316K	7:35 AM	9:04 AM		<0.4
D101	DB030K	7:36 AM	9:05 AM		<0.4
D106	DB028L	7:39 AM	9:08 AM		<0.4
D108	DB515H	7:40 AM	9:08 AM		<0.4
D110	DB268F	7:42 AM	9:09 AM		<0.4
D111	DB902M	7:45 AM	9:09 AM		0.6
D112	DB888J	7:47 AM	9:06 AM		<0.4

Note: Canister DB726J accidentally damaged during testing period. Replacement test deployed 03/19/19.

**Inza R. Wood Middle School**  
**11055 SW Wilsonville Rd, Wilsonville, OR 97070**

Start Date: 03/11/2019			Stop Date: 03/14/2019		
Room #	Serial #	Start Time	Stop Time	Canister Type	pCi/l
D112A	DB939M	10:22 AM	10:30 AM		0.7
D113-A	DB539K	7:50 AM	9:11 AM		0.4
D113-B	DB347K	7:51 AM	9:13 AM		<0.4
D113-C	DB726J	7:52 AM	<b>see note</b>		
D115	DB702I	7:53 AM	9:16 AM		<0.4
D116	DB146K	7:55 AM	9:16 AM		<0.4
D117	DB064M	7:56 AM	9:18 AM		<0.4
D118	DB618K	7:57 AM	9:17 AM		<0.4
D119-A	DB594K	8:03 AM	9:20 AM	<b>Duplicate</b>	<0.4
D119-B	DB761H	8:03 AM	9:20 AM		0.4
D120-A	DB310B	8:06 AM	9:21 AM	<b>Duplicate</b>	<0.4
D120-B	DB495I	8:06 AM	9:21 AM		<0.4
D121	DB352J	8:08 AM	9:24 AM		<0.4
D125-A	DB369I	8:10 AM	8:49 AM		0.4
D125-B	DB600I	8:12 AM	8:50 AM		0.4
E100-A	DB729L	8:14 AM	9:28 AM	<b>Duplicate</b>	1.3
E100-B	DB237M	8:14 AM	9:28 AM		0.9
E102	DB898M	8:19 AM	9:29 AM		0.7
E106-A	DB471K	8:21 AM	9:32 AM	<b>Blank</b>	<0.4
E106-B	DB274M	8:21 AM	9:32 AM		0.8
E107	DB664K	8:24 AM	9:34 AM		0.6
E110	DB759L	8:28 AM	9:37 AM		0.7
E112	DB226M	8:32 AM	9:38 AM		<0.4
E114	DB427M	8:33 AM	9:39 AM		<0.4
E115	DB056N	8:35 AM	9:42 AM		1.0
E116	DB279J	8:37 AM	9:42 AM		0.4
E117	DB396M	8:38 AM	9:43 AM		0.6
F100	DB996M	8:42 AM	9:46 AM		0.5
F101	DB016N	8:45 AM	9:48 AM		0.7
F103	DB801K	8:46 AM	9:51 AM		0.6
F105	DB040J	8:48 AM	9:49 AM		<0.4
F109	DB333M	8:49 AM	9:52 AM		0.4
F110	DB542J	8:51 AM	9:53 AM		0.5
F112	DB069K	8:53 AM	9:57 AM		<0.4
F113-A	DB474L	8:55 AM	9:58 AM	<b>Duplicate</b>	<0.4

Note: Canister DB726J accidentally damaged during testing period. Replacement test deployed 03/19/19.

**Inza R. Wood Middle School**  
**11055 SW Wilsonville Rd, Wilsonville, OR 97070**

Start Date: 03/11/2019			Stop Date: 03/14/2019		
Room #	Serial #	Start Time	Stop Time	Canister Type	pCi/l
F113-B	DB218L	8:55 AM	9:58 AM		0.5
F114	DB185I	8:58 AM	10:01 AM		0.5
F115-A	DB755J	8:59 AM	9:59 AM	<b>Blank</b>	<0.4
F115-B	DB110N	8:59 AM	9:59 AM		1.1
F116	DB325M	9:01 AM	10:04 AM		0.9
F166A	DB280M	10:25 AM	10:31 AM		0.9
Spike	DB386K	03/08/19	03/11/19	<b>Spike</b>	28.9
		2:14 PM	2:14 PM		
Spike	DB690K	03/08/19	03/11/19	<b>Spike</b>	28.2
		2:14 PM	2:14PM		
D113-C	DB380L	03/19/19	03/22/19	<b>Replacement</b>	0.6
		8:43 AM	10:15 AM		

Note: Canister DB726J accidentally damaged during testing period. Replacement test deployed 03/19/19.







INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST F;A101-A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 1aaqul09

EXPOSURE START DATE/TIME 3/11/2019 9:29
END 3/14/2019 11:22 EXPOSURE HOURS = 73.9
ANALYSIS 3/16/2019 12:59 DECAY HOURS = 49.6

CANISTER NUMBER: DB911L
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? A101-B                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2aaqu110

EXPOSURE START DATE/TIME	3/11/2019	9:29		
END	3/14/2019	11:22	EXPOSURE HOURS =	73.9
ANALYSIS	3/16/2019	12:59	DECAY HOURS =	49.6

CANISTER NUMBER: DB693K  
WATER GAIN = 1.0 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL A103 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3aaqu111

EXPOSURE START DATE/TIME 3/11/2019 9:32
END 3/14/2019 11:23 EXPOSURE HOURS = 73.8
ANALYSIS 3/16/2019 12:59 DECAY HOURS = 49.6

CANISTER NUMBER: DB267L
WATER GAIN = 0.9 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.9

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL A110 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 1aaqu112

EXPOSURE START DATE/TIME 3/11/2019 9:36
END 3/14/2019 11:26 EXPOSURE HOURS = 73.8
ANALYSIS 3/16/2019 13:11 DECAY HOURS = 49.8

CANISTER NUMBER: DB716L
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL A113 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2aaqul13

EXPOSURE START DATE/TIME	3/11/2019	9:42		
END	3/14/2019	11:27	EXPOSURE HOURS =	73.8
ANALYSIS	3/16/2019	13:11	DECAY HOURS =	49.7

CANISTER NUMBER: DB364L  
WATER GAIN = 1.0 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B100-A  
FLOPPY IDENTIFIER 3aaqu114

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	9:47		
END	3/14/2019	11:31	EXPOSURE HOURS =	73.7
ANALYSIS	3/16/2019	13:11	DECAY HOURS =	49.7

CANISTER NUMBER: DB901M  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? B100-B                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER laaqu115

EXPOSURE START DATE/TIME	3/11/2019	9:55		
END	3/14/2019	11:32	EXPOSURE HOURS =	73.6
ANALYSIS	3/16/2019	13:23	DECAY HOURS =	49.8

CANISTER NUMBER: DB061N  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B100-C  
FLOPPY IDENTIFIER 2aaqu116

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	9:57		
END	3/14/2019	11:33	EXPOSURE HOURS =	73.6
ANALYSIS	3/16/2019	13:23	DECAY HOURS =	49.8

CANISTER NUMBER: DB124N  
WATER GAIN = 1.0 grams

\*\*\*\*\*

**MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L**

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B101-A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3aaqu117

EXPOSURE START DATE/TIME 3/11/2019 10: 0
END 3/14/2019 11:36 EXPOSURE HOURS = 73.6
ANALYSIS 3/16/2019 13:23 DECAY HOURS = 49.8

CANISTER NUMBER: DB060J
WATER GAIN = 1.3 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.4

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B101-B PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 1aaqu118

EXPOSURE START DATE/TIME	3/11/2019	10: 2		
END	3/14/2019	11:38	EXPOSURE HOURS =	73.6
ANALYSIS	3/16/2019	13:35	DECAY HOURS =	50.0

CANISTER NUMBER: DB675K  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B101-C  
FLOPPY IDENTIFIER 2aaqu119

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	10: 2		
END	3/14/2019	11:40	EXPOSURE HOURS =	73.6
ANALYSIS	3/16/2019	13:35	DECAY HOURS =	49.9

CANISTER NUMBER: DB891H  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B103 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3aaqu120

EXPOSURE START DATE/TIME 3/11/2019 10: 5
END 3/14/2019 11:45 EXPOSURE HOURS = 73.7
ANALYSIS 3/16/2019 13:35 DECAY HOURS = 49.8

CANISTER NUMBER: DB466J
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B111-A  
FLOPPY IDENTIFIER laaqu121

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	10: 9		
END	3/14/2019	11:46	EXPOSURE HOURS =	73.6
ANALYSIS	3/16/2019	13:47	DECAY HOURS =	50.0

CANISTER NUMBER: DB138L  
WATER GAIN = 0.8 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.







INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL B112-A  
FLOPPY IDENTIFIER 3aaqu123

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	10:11		
END	3/14/2019	11:47	EXPOSURE HOURS =	73.6
ANALYSIS	3/16/2019	13:47	DECAY HOURS =	50.0

CANISTER NUMBER: DB271M  
WATER GAIN = 0.9 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? B112-B PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 1aaqu124

EXPOSURE START DATE/TIME 3/11/2019 10:11
END 3/14/2019 11:47 EXPOSURE HOURS = 73.6
ANALYSIS 3/16/2019 13:58 DECAY HOURS = 50.2

CANISTER NUMBER: DB216H
WATER GAIN = 1.2 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C100 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2aaqu125

EXPOSURE START DATE/TIME	3/11/2019	10:21		
END	3/14/2019	11:53	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	13:58	DECAY HOURS =	50.1

CANISTER NUMBER: DB149J  
WATER GAIN = 0.9 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C101                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3aaqu126

EXPOSURE START DATE/TIME	3/11/2019	10:24		
END	3/14/2019	11:54	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	13:58	DECAY HOURS =	50.1

CANISTER NUMBER: DB965J  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C102-B  
FLOPPY IDENTIFIER 2aaqu128

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	10:25		
END	3/14/2019	11:56	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:11	DECAY HOURS =	50.3

CANISTER NUMBER: DB103D  
WATER GAIN = 0.4 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? C103                    PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3aaqu129

EXPOSURE START DATE/TIME	3/11/2019	10:28		
END	3/14/2019	11:58	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:11	DECAY HOURS =	50.2

CANISTER NUMBER: DB453L  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C104 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER laaqu130

EXPOSURE START DATE/TIME	3/11/2019	10:30		
END	3/14/2019	11:58	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:23	DECAY HOURS =	50.4

CANISTER NUMBER: DB704L  
WATER GAIN = 0.9 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C105 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2aaqul31

EXPOSURE START DATE/TIME	3/11/2019	10:31		
END	3/14/2019	12:00	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:23	DECAY HOURS =	50.4

CANISTER NUMBER: DB440K  
WATER GAIN = 0.9 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C109 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3aaqu132

EXPOSURE START DATE/TIME	3/11/2019	10:32		
END	3/14/2019	12:00	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:23	DECAY HOURS =	50.4

CANISTER NUMBER: DB914I  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D100-A  
FLOPPY IDENTIFIER 1aaqu133

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	10:35		
END	3/14/2019	12: 3	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:35	DECAY HOURS =	50.5

CANISTER NUMBER: DB166K  
WATER GAIN = 0.3 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? D100-B                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2aaqul34

EXPOSURE START DATE/TIME	3/11/2019	10:35		
END	3/14/2019	12: 4	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:35	DECAY HOURS =	50.5

CANISTER NUMBER: DB316K  
WATER GAIN = 0.9 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? D101 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3aaqu135

EXPOSURE START DATE/TIME	3/11/2019	10:36		
END	3/14/2019	12: 5	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:35	DECAY HOURS =	50.5

CANISTER NUMBER: DB030K  
WATER GAIN = 0.9 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D106 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 1aaqu136

EXPOSURE START DATE/TIME	3/11/2019	10:39		
END	3/14/2019	12: 8	EXPOSURE HOURS =	73.5
ANALYSIS	3/16/2019	14:47	DECAY HOURS =	50.7

CANISTER NUMBER: DB028L  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D108  
FLOPPY IDENTIFIER 2aaqu137

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	10:40	
END	3/14/2019	12: 8	EXPOSURE HOURS = 73.5
ANALYSIS	3/16/2019	14:47	DECAY HOURS = 50.7

CANISTER NUMBER: DB515H  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D110 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3aaqul38

EXPOSURE START DATE/TIME	3/11/2019	10:42		
END	3/14/2019	12: 9	EXPOSURE HOURS =	73.4
ANALYSIS	3/16/2019	14:47	DECAY HOURS =	50.6

CANISTER NUMBER: DB268F  
WATER GAIN = 0.5 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D111 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 1aaqu139

EXPOSURE START DATE/TIME 3/11/2019 10:45
END 3/14/2019 12: 9 EXPOSURE HOURS = 73.4
ANALYSIS 3/16/2019 14:59 DECAY HOURS = 50.8

CANISTER NUMBER: DB902M
WATER GAIN = 0.9 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D112 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2aaqu140

EXPOSURE START DATE/TIME	3/11/2019	10:47		
END	3/14/2019	12: 6	EXPOSURE HOURS =	73.3
ANALYSIS	3/16/2019	14:59	DECAY HOURS =	50.9

CANISTER NUMBER: DB888J  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? D113-A PADEP 0182; NRSE ARL0023
FLOPPY IDENTIFIER 3aaqu141

EXPOSURE START DATE/TIME 3/11/2019 10:50
END 3/14/2019 12:11 EXPOSURE HOURS = 73.3
ANALYSIS 3/16/2019 14:59 DECAY HOURS = 50.8

CANISTER NUMBER: DB539K
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.4

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D113-B PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu109

EXPOSURE START DATE/TIME 3/11/2019 10:51
END 3/14/2019 12:13 EXPOSURE HOURS = 73.4
ANALYSIS 3/16/2019 12:34 DECAY HOURS = 48.3

CANISTER NUMBER: DB347K
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.4

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D115 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3taqu110

EXPOSURE START DATE/TIME	3/11/2019	10:53		
END	3/14/2019	12:16	EXPOSURE HOURS =	73.4
ANALYSIS	3/16/2019	12:34	DECAY HOURS =	48.3

CANISTER NUMBER: DB702I  
WATER GAIN = 1.2 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D116 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 1taqu111

EXPOSURE START DATE/TIME	3/11/2019	10:55		
END	3/14/2019	12:16	EXPOSURE HOURS =	73.3
ANALYSIS	3/16/2019	12:46	DECAY HOURS =	48.5

CANISTER NUMBER: DB146K  
WATER GAIN = 1.2 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D117 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2taqu112

EXPOSURE START DATE/TIME	3/11/2019	10:56		
END	3/14/2019	12:18	EXPOSURE HOURS =	73.4
ANALYSIS	3/16/2019	12:46	DECAY HOURS =	48.5

CANISTER NUMBER: DB064M  
WATER GAIN = 0.9 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? D118                    PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3taqu113

EXPOSURE START DATE/TIME	3/11/2019	10:57		
END	3/14/2019	12:17	EXPOSURE HOURS =	73.3
ANALYSIS	3/16/2019	12:46	DECAY HOURS =	48.5

CANISTER NUMBER: DB618K  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D119-A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER ltaqu114

EXPOSURE START DATE/TIME 3/11/2019 11: 3
END 3/14/2019 12:20 EXPOSURE HOURS = 73.3
ANALYSIS 3/16/2019 12:59 DECAY HOURS = 48.7

CANISTER NUMBER: DB594K
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result
corrected for time between the end of test and the date of analysis
at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to
other parties without written permission, except where required by law Data
may be used in reports without disclosure of customers name or address. TCS
does not accept responsibility for financial or health consequences of actions
taken by the customer or his agents as a result of this analysis or sampling,
or for any and all loss, charge, cost, claim, demand, fee, expense, or damage
of any nature arising out of, connected with, resulting from or sustained as a
result of any radon sampling requested. TCS makes no warranty of any kind,
expressed or implied for the consequences of erroneous test results. Detector
was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D119-B  
FLOPPY IDENTIFIER 2taqu115

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	11: 3		
END	3/14/2019	12:20	EXPOSURE HOURS =	73.3
ANALYSIS	3/16/2019	12:59	DECAY HOURS =	48.7

CANISTER NUMBER: DB761H  
WATER GAIN = 1.2 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D120-A  
FLOPPY IDENTIFIER 3taquil16

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	11: 6		
END	3/14/2019	12:21	EXPOSURE HOURS =	73.3
ANALYSIS	3/16/2019	12:59	DECAY HOURS =	48.6

CANISTER NUMBER: DB310B  
WATER GAIN = 1.3 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? D120-B                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 1taqu117

EXPOSURE START DATE/TIME	3/11/2019	11: 6		
END	3/14/2019	12:21	EXPOSURE HOURS =	73.3
ANALYSIS	3/16/2019	13:11	DECAY HOURS	= 48.8

CANISTER NUMBER: DB495I  
WATER GAIN = 1.3 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result  
corrected for time between the end of test and the date of analysis  
at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? D121 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2taqu118

EXPOSURE START DATE/TIME	3/11/2019	11: 8		
END	3/14/2019	12:24	EXPOSURE HOURS =	73.3
ANALYSIS	3/16/2019	13:11	DECAY HOURS =	48.8

CANISTER NUMBER: DB352J  
WATER GAIN = 1.0 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? D125-A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3taqu119

EXPOSURE START DATE/TIME 3/11/2019 11:10
END 3/14/2019 11:49 EXPOSURE HOURS = 72.7
ANALYSIS 3/16/2019 13:11 DECAY HOURS = 49.4

CANISTER NUMBER: DB369I
WATER GAIN = 1.2 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.4

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D125-B  
FLOPPY IDENTIFIER ltaqu120

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME	3/11/2019	11:12		
END	3/14/2019	11:50	EXPOSURE HOURS =	72.6
ANALYSIS	3/16/2019	13:23	DECAY HOURS =	49.5

CANISTER NUMBER: DB600I  
WATER GAIN = 1.2 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL E100A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu121

EXPOSURE START DATE/TIME 3/11/2019 11:14
END 3/14/2019 12:28 EXPOSURE HOURS = 73.2
ANALYSIS 3/16/2019 13:23 DECAY HOURS = 48.9

CANISTER NUMBER: DB729L
WATER GAIN = 1.2 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 1.3

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL E100-B PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3taqu122

EXPOSURE START DATE/TIME 3/11/2019 11:14
END 3/14/2019 12:28 EXPOSURE HOURS = 73.2
ANALYSIS 3/16/2019 13:23 DECAY HOURS = 48.9

CANISTER NUMBER: DB237M
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.9

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL E102 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 1taqu123

EXPOSURE START DATE/TIME 3/11/2019 11:19
END 3/14/2019 12:29 EXPOSURE HOURS = 73.2
ANALYSIS 3/16/2019 13:35 DECAY HOURS = 49.1

CANISTER NUMBER: DB898M
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.7

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL E106-A
FLOPPY IDENTIFIER 2taqu124

PADEP 0182; NRSB ARL0023

EXPOSURE START DATE/TIME 3/11/2019 11:21
END 3/14/2019 12:32 EXPOSURE HOURS = 73.2
ANALYSIS 3/16/2019 13:35 DECAY HOURS = 49.0

CANISTER NUMBER: DB471K
WATER GAIN = 0.3 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result
corrected for time between the end of test and the date of analysis
at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to
other parties without written permission, except where required by law Data
may be used in reports without disclosure of customers name or address. TCS
does not accept responsibility for financial or health consequences of actions
taken by the customer or his agents as a result of this analysis or sampling,
or for any and all loss, charge, cost, claim, demand, fee, expense, or damage
of any nature arising out of, connected with, resulting from or sustained as a
result of any radon sampling requested. TCS makes no warranty of any kind,
expressed or implied for the consequences of erroneous test results. Detector
was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? E106-B PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3taqu125

EXPOSURE START DATE/TIME 3/11/2019 11:21
END 3/14/2019 12:32 EXPOSURE HOURS = 73.2
ANALYSIS 3/16/2019 13:35 DECAY HOURS = 49.0

CANISTER NUMBER: DB274M
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.8

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? E107 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER ltaqu126

EXPOSURE START DATE/TIME 3/11/2019 11:24
END 3/14/2019 12:34 EXPOSURE HOURS = 73.2
ANALYSIS 3/16/2019 13:47 DECAY HOURS = 49.2

CANISTER NUMBER: DB664K
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? E110 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu127

EXPOSURE START DATE/TIME 3/11/2019 11:28
END 3/14/2019 12:37 EXPOSURE HOURS = 73.2
ANALYSIS 3/16/2019 13:47 DECAY HOURS = 49.2

CANISTER NUMBER: DB759L
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.7

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? E112                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3taqu128

EXPOSURE START DATE/TIME	3/11/2019	11:32		
END	3/14/2019	12:38	EXPOSURE HOURS =	73.1
ANALYSIS	3/16/2019	13:47	DECAY HOURS =	49.2

CANISTER NUMBER: DB226M  
WATER GAIN = 1.0 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? E114 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER ltaqu129

EXPOSURE START DATE/TIME 3/11/2019 11:33
END 3/14/2019 12:39 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 13:59 DECAY HOURS = 49.3

CANISTER NUMBER: DB427M
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result
corrected for time between the end of test and the date of analysis
at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to
other parties without written permission, except where required by law Data
may be used in reports without disclosure of customers name or address. TCS
does not accept responsibility for financial or health consequences of actions
taken by the customer or his agents as a result of this analysis or sampling,
or for any and all loss, charge, cost, claim, demand, fee, expense, or damage
of any nature arising out of, connected with, resulting from or sustained as a
result of any radon sampling requested. TCS makes no warranty of any kind,
expressed or implied for the consequences of erroneous test results. Detector
was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? E115 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu130

EXPOSURE START DATE/TIME 3/11/2019 11:35
END 3/14/2019 12:42 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 13:59 DECAY HOURS = 49.3

CANISTER NUMBER: DB056N
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 1.0

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL E116 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3taqu131

EXPOSURE START DATE/TIME	3/11/2019	11:37		
END	3/14/2019	12:42	EXPOSURE HOURS =	73.1
ANALYSIS	3/16/2019	13:59	DECAY HOURS =	49.3

CANISTER NUMBER: DB279J  
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.4

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? E117 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER ltaqu132

EXPOSURE START DATE/TIME 3/11/2019 11:38
END 3/14/2019 12:43 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:11 DECAY HOURS = 49.5

CANISTER NUMBER: DB396M
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? F100 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu133

EXPOSURE START DATE/TIME 3/11/2019 11:42
END 3/14/2019 12:46 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:11 DECAY HOURS = 49.4

CANISTER NUMBER: DB996M
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? F101 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3taqu134

EXPOSURE START DATE/TIME 3/11/2019 11:45
END 3/14/2019 12:48 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:11 DECAY HOURS = 49.4

CANISTER NUMBER: DB016N
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.7

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL F103 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 1taqu135

EXPOSURE START DATE/TIME 3/11/2019 11:46
END 3/14/2019 12:51 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:23 DECAY HOURS = 49.5

CANISTER NUMBER: DB801K
WATER GAIN = 1.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070.

\*\*\*\*\*

TESTED AREA ? F105                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2taqu136

EXPOSURE START DATE/TIME	3/11/2019	11:48		
END	3/14/2019	12:49	EXPOSURE HOURS =	73.0
ANALYSIS	3/16/2019	14:23	DECAY HOURS =	49.6

CANISTER NUMBER: DB040J  
WATER GAIN = 1.2 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result  
corrected for time between the end of test and the date of analysis  
at our Laboratory

### POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*



INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL F109 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3taqu137

EXPOSURE START DATE/TIME 3/11/2019 11:49  
END 3/14/2019 12:52 EXPOSURE HOURS = 73.1  
ANALYSIS 3/16/2019 14:23 DECAY HOURS = 49.5

CANISTER NUMBER: DB333M  
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.4

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

*Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.*

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? F110 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER ltaqu138

EXPOSURE START DATE/TIME 3/11/2019 11:51
END 3/14/2019 12:53 EXPOSURE HOURS = 73.0
ANALYSIS 3/16/2019 14:35 DECAY HOURS = 49.7

CANISTER NUMBER: DB542J
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



# TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL F112                      PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 2taqu139

EXPOSURE START DATE/TIME	3/11/2019	11:53		
END	3/14/2019	12:57	EXPOSURE HOURS =	73.1
ANALYSIS	3/16/2019	14:35	DECAY HOURS =	49.6

CANISTER NUMBER: DB069K  
WATER GAIN = 1.1 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result corrected for time between the end of test and the date of analysis at our Laboratory

## POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? F113-A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3taqu140

EXPOSURE START DATE/TIME 3/11/2019 11:55
END 3/14/2019 12:58 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:35 DECAY HOURS = 49.6

CANISTER NUMBER: DB474L
WATER GAIN = 1.2 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result
corrected for time between the end of test and the date of analysis
at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to
other parties without written permission, except where required by law Data
may be used in reports without disclosure of customers name or address. TCS
does not accept responsibility for financial or health consequences of actions
taken by the customer or his agents as a result of this analysis or sampling,
or for any and all loss, charge, cost, claim, demand, fee, expense, or damage
of any nature arising out of, connected with, resulting from or sustained as a
result of any radon sampling requested. TCS makes no warranty of any kind,
expressed or implied for the consequences of erroneous test results. Detector
was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? F113-B PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER ltaqu141

EXPOSURE START DATE/TIME 3/11/2019 11:55
END 3/14/2019 12:58 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:47 DECAY HOURS = 49.8

CANISTER NUMBER: DB218L
WATER GAIN = 1.2 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL F114 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu142

EXPOSURE START DATE/TIME 3/11/2019 11:58
END 3/14/2019 13: 1 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:47 DECAY HOURS = 49.8

CANISTER NUMBER: DB185I
WATER GAIN = 1.2 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.5

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.

radondetek@comcast.net

(717) 657-7032

www.radondetek.com



TCS INDUSTRIES, INC.

RADON GAS DETECTION

4326 Crestview Road, Harrisburg, PA 17112

INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? F115-A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3taqu143

EXPOSURE START DATE/TIME 3/11/2019 11:59
END 3/14/2019 12:59 EXPOSURE HOURS = 73.0
ANALYSIS 3/16/2019 14:47 DECAY HOURS = 49.8

CANISTER NUMBER: DB755J
WATER GAIN = 0.3 grams

\*\*\*\*\*

MAXIMUM RADON LEVEL IS NO MORE THAN 0.4 pCi/L

\*\*\*\*\*

The < Maximum radon Level > is based on the measured result
corrected for time between the end of test and the date of analysis
at our Laboratory

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to
other parties without written permission, except where required by law Data
may be used in reports without disclosure of customers name or address. TCS
does not accept responsibility for financial or health consequences of actions
taken by the customer or his agents as a result of this analysis or sampling,
or for any and all loss, charge, cost, claim, demand, fee, expense, or damage
of any nature arising out of, connected with, resulting from or sustained as a
result of any radon sampling requested. TCS makes no warranty of any kind,
expressed or implied for the consequences of erroneous test results. Detector
was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA ? F115-B PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER ltaqu144

EXPOSURE START DATE/TIME 3/11/2019 11:59
END 3/14/2019 12:59 EXPOSURE HOURS = 73.0
ANALYSIS 3/16/2019 14:59 DECAY HOURS = 50.0

CANISTER NUMBER: DB110N
WATER GAIN = 1.2 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 1.1

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL F116 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu145

EXPOSURE START DATE/TIME 3/11/2019 12: 1
END 3/14/2019 13: 4 EXPOSURE HOURS = 73.1
ANALYSIS 3/16/2019 14:59 DECAY HOURS = 49.9

CANISTER NUMBER: DB325M
WATER GAIN = 1.0 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.9

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL D112A PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER 3taqu146

EXPOSURE START DATE/TIME	3/11/2019	13:22		
END	3/14/2019	13:30	EXPOSURE HOURS =	72.1
ANALYSIS	3/16/2019	14:59	DECAY HOURS =	49.5

CANISTER NUMBER: DB939M  
WATER GAIN = 0.8 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.7

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

*Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.*

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*





INZA WOOD MIDDLE  
11055 SW WILSONVILLE RD  
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C121 PADEP 0182; NRSB ARL0023  
FLOPPY IDENTIFIER ltaqu147

EXPOSURE START DATE/TIME 3/11/2019 13:23  
END 3/14/2019 13:30 EXPOSURE HOURS = 72.1  
ANALYSIS 3/16/2019 15:12 DECAY HOURS = 49.7

CANISTER NUMBER: DB818H  
WATER GAIN = 0.9 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL C120 PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2taqu148

EXPOSURE START DATE/TIME 3/11/2019 13:24
END 3/14/2019 13:31 EXPOSURE HOURS = 72.1
ANALYSIS 3/16/2019 15:12 DECAY HOURS = 49.7

CANISTER NUMBER: DB769F
WATER GAIN = 0.9 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA 1ST FL F166A PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 3taqu149

EXPOSURE START DATE/TIME 3/11/2019 13:25
END 3/14/2019 13:31 EXPOSURE HOURS = 72.1
ANALYSIS 3/16/2019 15:12 DECAY HOURS = 49.7

CANISTER NUMBER: DB280M
WATER GAIN = 0.7 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.9

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA SPIKE PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER laaqu106

EXPOSURE START DATE/TIME 3/ 8/2019 14:14
END 3/11/2019 14:14 EXPOSURE HOURS = 72.0
ANALYSIS 3/16/2019 12:46 DECAY HOURS = 118.5

CANISTER NUMBER: DB386K
WATER GAIN = 1.8 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 28.9

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.



INZA WOOD MIDDLE
11055 SW WILSONVILLE RD
WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA SPIKE PADEP 0182; NRSB ARL0023
FLOPPY IDENTIFIER 2aaqu107
EXPOSURE START DATE/TIME 3/ 8/2019 14:14
END 3/11/2019 14:14 EXPOSURE HOURS = 72.0
ANALYSIS 3/16/2019 12:46 DECAY HOURS = 118.5
CANISTER NUMBER: DB690K
WATER GAIN = 2.1 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 28.2

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.





WOOD MIDDLE SCHOOL  
 1105 SW WILSONVILLE RD  
 WILSONVILLE OR 97070

\*\*\*\*\*

TESTED AREA FIRST FLOOR D113-C PADEP 0182; NRSB ARL0023  
 FLOPPY IDENTIFIER ltaqv114

EXPOSURE START DATE/TIME	3/19/2019	11:43	
END	3/22/2019	13:15	EXPOSURE HOURS = 73.5
ANALYSIS	3/23/2019	11: 2	DECAY HOURS = 21.8

CANISTER NUMBER: DB380L  
 WATER GAIN = 1.2 grams

\*\*\*\*\*

RADON CONCENTRATION (WEIGHTED AVG) IN pCi/L = 0.6

\*\*\*\*\*

RADON HEALTH RISK INFORMATION

*Radon is the second cause of lung cancer, after smoking. The U.S. Environmental Protection Agency (EPA) and the Surgeon General strongly recommend taking further action when the home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level the larger the health risk to you and your family. Reducing radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. For further information about reducing elevated radon levels please refer to the EPA's CONSUMER'S GUIDE TO RADON REDUCTION or PA's Guide for Pennsylvania residents.*

\*\*\*\*\*

POLICY AND LIMITATIONS OF LIABILITY

*TCS holds all data and information confidential. We will not release it to other parties without written permission, except where required by law. Data may be used in reports without disclosure of customers name or address. TCS does not accept responsibility for financial or health consequences of actions taken by the customer or his agents as a result of this analysis or sampling, or for any and all loss, charge, cost, claim, demand, fee, expense, or damage of any nature arising out of, connected with, resulting from or sustained as a result of any radon sampling requested. TCS makes no warranty of any kind, expressed or implied for the consequences of erroneous test results. Detector was analyzed as received using a modification of HP Vol. 46, No. 4 pp 867-872.*