



WEST LINN-WILSONVILLE SCHOOL DISTRICT
DEPARTMENT OF OPERATIONS
 2755 SW Borland Rd, Tualatin, OR 97062
 503.673.7995

District Safety Committee Agenda
Wednesday, July 19, 2023; 7:00 AM, WLWVSD via Zoom

A. ATTENDEES:

Name	Location/Title	Present	Absent
Jeff Chambers	Facilities Manager	X	
Enrique Guillen	Custodial Supervisor	X	
Mary Hanks	OSEA Representative		X
Officer Jabral Johnson	West Linn HS, SRO		X
Officer Zach Keirse	Wilsonville HS, SRO	X	
Pat McGough	Chief Operating Officer		X
Steve Matthias	Maintenance Supervisor	X	
Leon Mongeau	OSEA Representative	X	
Jeremy Nichols	Safety & Security Supervisor	X	
Karen Pyeatt	District Nurse		X
Caitlin Sullivan	Community Services Coordinator	X	
Lisa Love	WWEA Representative		X
Shyla Waldern	Director of Human Resources		X
Staci Ball	WWEA Representative		X

B. MINUTES REVIEW:

The minutes from all meetings are available on the website: <http://www.wlww.k12.or.us/Page/16137>

C. EXISTING ACTION ITEMS:

Description	Responsible Party	Status (due by)
<p style="background-color: yellow;">Long Range - Bond Planning</p> <p>1.18.2023</p> <ul style="list-style-type: none"> PTA visits have been completed at all primary schools regarding fencing at the primary school sites. Great feedback regarding fencing. Long range planning meeting tonight. <p>2.15.2023</p> <ul style="list-style-type: none"> Met with DSLT about the next steps in the fencing conversation. Thought on a community wide meeting and a meeting with both the 		

<p>City of West Linn and the City of Wilsonville. Received positive feedback from all PTA groups at primary schools.</p> <p>3.15.2023</p> <ul style="list-style-type: none"> • Bond planning is continuing. Bond has met with all principals to discuss future bond projects. Numerous safety items on the list – site fencing, curtains, exterior lighting, etc. • Both bond projects still in process. Hoping WHS Auditorium will be hopefully finished after Spring Break. New Athey Creek is on schedule and coming along nicely. <p>4.19.2023</p> <ul style="list-style-type: none"> • Long Range Planning Committee tonight. The district opened bids and the board awarded the contract for the new primary school in Wilsonville. • Wilsonville HS Auditorium is moving along. A little behind schedule but we do have a tentative move in date for May 19th. • New Athey Creek Middle School is on schedule! <p>5.17.2023</p> <ul style="list-style-type: none"> • Wilsonville PAC is close to completion. District currently doing trainings for the site. <p>6.21.2023</p> <ul style="list-style-type: none"> • Performing Arts center is open. Contractors will be competing their punch lists over the summer as well as working on the old theater. • Long Range Planning meeting on July 19th. <p>7.19.2023</p> <ul style="list-style-type: none"> • Long Range Planning meeting is tonight. 	<p><i>Pat McGough</i></p>	<p><i>Ongoing</i></p>
<p>Safety, Security, and Technology Upgrades</p> <p>1.18.2023</p> <ul style="list-style-type: none"> • Some parts for the secure entry system are no longer being manufactured so Operations team is working on a plan for how to proceed. • Has been some hiccups with the notification system at some of the schools – this should be fixed by the end of this week at the latest. And although the notification system might not be working the FOBs are still working. <p>2.15.2023</p> <ul style="list-style-type: none"> • Our shelter lock system is currently working and we have fixed all of the problems with the notification system. • Current manufacturer is no longer making these shelter lock systems which creates some problems moving forward. There is a new system, so the district is speaking about implementing that. If they do it will need a board action approval to proceed. <p>3.15.2023</p> <ul style="list-style-type: none"> • Current manufacturer of shelter lock system is no longer making these lock systems. We have a new product in the works and the Board recently approved this. • Installed vape detectors in bathrooms at high schools. Likely to expand and install more of these in the high school and middle school restrooms. <p>4.19.2023</p> <ul style="list-style-type: none"> • The district has made a decision to move forward with Key Scan for our new shelter lock system. While this system will be different the way the staff interacts with the system should be similar. <p>5.17.2023</p> <ul style="list-style-type: none"> • Intercoms are continually being tested and modified to make updates regarding feedback received from schools. • District still working with KeyScan to get the updated shelter lock system <p>6.21.2023</p> <ul style="list-style-type: none"> • District will be doing a full audit of the FOB shelter lock batteries to ensure they will be ready for the new school year. 	<p><i>Pat McGough</i> <i>Jeff Chambers</i></p>	

<ul style="list-style-type: none"> Shelter lock has been discontinued. The district bid Key Scan to replace lock sets at WLHS. Due to the bid the district received we are putting the project on hold. Likely that WLHS will not be updated this summer. District working on a resolution for this. Trillium Creek primary will be updated with the shelter lock system. <p>7.19.2023</p> <ul style="list-style-type: none"> Trillium Creek is moving along with their security upgrades. Including curtains, new entry and lock system. 		
<p>Drills</p> <p>1.18.2023</p> <ul style="list-style-type: none"> IT has implemented a new pre-drill announcement that will go out on the PA system before every drill (fire, shelter, lockdown) so that everyone knows a drill is occurring. Also have rolled out a ‘softer’ all clear announcement at each school. Would be great to have some protocols in place for building engineers to understand their roles in drills. Often when there is a sub for an engineer they are unsure what to do. Having an outlined protocol sheet would be beneficial. <p>2.15.2023</p> <ul style="list-style-type: none"> All schools using the new pre-drill announcements. Drills are going well. Some staff members are concerned that if we always notify students before the drills then in a real emergency they won’t really know what to do. This should be a building decision if they want to not notify before their drills. <p>3.15.2023</p> <ul style="list-style-type: none"> Drills have been going well. The District postponed the First Responders in March due to weather – working on rescheduling a date for the meeting. <p>4.19.2023</p> <ul style="list-style-type: none"> Drills are going well. It is nice to be able to test our systems while doing drills, it helps school staff & operations staff to ensure our systems are working properly. District is hosting our last First Responders meeting of the year today. Staff that work in the Annex at Stafford would like better communication for the shelter lock system and to be notified when an event occurs. Operations staff looking into ways to help achieve this. <p>5.17.2023</p> <ul style="list-style-type: none"> Drills have been going well. We have one more lockdown drill to complete and then our June fire drills. <p>6.21.2023</p> <ul style="list-style-type: none"> All drills have been complete for the year! All schools met the requirements regarding drills for the year. <p>7.19.2023</p> <ul style="list-style-type: none"> No drills during the summer. 	<p><i>Caitlin Sullivan Jeremy Nichols Jeff Chambers</i></p>	<p><i>Ongoing</i></p>
<p>True North</p> <p>1.18.2023</p> <ul style="list-style-type: none"> True North is in the process of doing school site interviews with principal’s/front office staff. Once True North has completed all of their assessments they will provide the District with recommendations. Hopeful that the recommendations provide some consistency across school sites. <p>2.15.2023</p> <ul style="list-style-type: none"> True North has completed all of their site visits and interviews and is now working on their report that they will provide the district. Should expect the report around late March. <p>3.15.2023</p>	<p><i>Pat McGough Jeremy Nichols</i></p>	<p><i>Ongoing</i></p>

<ul style="list-style-type: none"> • True North is still on schedule to produce the final report at the end of March. Once they have produced the report they will come discuss their findings with district administration. <p>4.19.2023</p> <ul style="list-style-type: none"> • True North still on track to provide the district with their report by the end of the month. True North will be participating in our First Responders Meeting this morning to get more information on the topics the district discusses during these meetings. <p>5.17.2023</p> <ul style="list-style-type: none"> • Still waiting on the report from True North. <p>6.21.2023</p> <ul style="list-style-type: none"> • Received the final report from True North. These will not be published as they are classified documents. District Safety Leadership Team is reviewing all of the reports and forecasting what items should be put on the next Bond regarding safety related items. <p>7.19.2023</p> <ul style="list-style-type: none"> • DSLT met to review the True North findings and will be meeting again in August to discuss other items. 		
<p>Environmental Testing</p> <p>1.18.2023</p> <ul style="list-style-type: none"> • Radon testing at Wood and Lowrie in February. Water testing to occur after the radon testing, 7 schools to have water testing. • Maintenance is also putting fence guard at numerous locations – just finished at Cedaroak and are currently working at Boeckman Creek. <p>2.15.2023</p> <ul style="list-style-type: none"> • In the process of radon testing. Tested Lowrie last week and testing Wood this week. Lowrie still has high readings for radon, district will continue to look at ways to mitigate. <p>3.15.2023</p> <ul style="list-style-type: none"> • Tested Wood for radon and all results came back under threshold in all spaces. • Radon testing at Lowrie came back high in one classroom. The history of readings and the levels of which the HVAC was running are contributors into the testing results. The District has numerous organizations working to remedy this situation. <p>4.19.2023</p> <ul style="list-style-type: none"> • Testing the C-porch at Lowrie at different intervals and seeing how the results correlate to the HVAC settings and different time intervals. Continuing to have meetings regarding the radon results and the solutions the district can provide to mediate or minimize the radon levels. • During the summer the district will be making adjustments to the control side as well as fan speeds to achieve the right balance to keep the radon levels low but also still providing heat to the building. <p>5.17.2023</p> <ul style="list-style-type: none"> • Continuing the use of the continuous radon monitors at Lourie. Currently testing in the C porch and all results lately have been below the threshold. Will continue to test and will also test during the summer. • Testing lead in water at 6 locations. Have tested at Willamette, Trillium, Bolton, Cedaroak, Stafford and Boeckman. We have received some results back of tests being over the threshold. When we receive those, we remove and replace the fixture that tested above the threshold, after replacing we retest. <p>6.21.2023</p> <ul style="list-style-type: none"> • Have tested 6 schools for lead and water in regards to the HASS plan. 5 of the 6 schools are 100% clear and one school remaining, Stafford, one fixture had to be replaced and retested. • Lowrie radon temporary mitigation efforts during the Spring were effective. Working through the summer with partners to achieve a 	<p><i>Jeremy Nichols</i></p>	<p><i>Ongoing</i></p>

<p>more permanent solution. Will be using continuous radon monitors throughout the summer to see what adjustments occur.</p> <p>7.19.2023</p> <ul style="list-style-type: none"> Continuing with radon monitoring at Lowrie PS. Maintenance team will be meeting on 7/27 to discuss how things are going for the summer testing. Have completed all testing at six schools for lead/water testing and all schools have passed their testing. 		
---	--	--

NEW SAFETY COMMITTEE ISSUES/DISCUSSION:

- West Linn PD to conduct an active shooter training at West Linn High School, July 27th – July 28th.

NEXT MEETING: September 20, 2023 – via Zoom at 7:00AM

Minutes were prepared by Caitlin Sullivan (sullivac@wlwv.k12.or.us). Please submit in writing any corrections to West Linn-Wilsonville District Safety Committee prior to the next meeting date; otherwise the minutes will stand as reported.